

Computing Environment 100




Fig. 1

Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7



A dialog box titled "Schema Editor Extensions" with a close button (X) in the top right corner. It contains a table with four columns: Name, Description, Version, and Extension Class. The table has two rows. The first row is checked and shows "Flat File Extension" with a description "Provides support for flat fi...", version "3.0.1.0", and extension class "Microsoft.BizTalk.Flat...". The second row is unchecked and shows "Hws Extension" with a description "Hws Extension Description", version "3.0.1.0", and extension class "Microsoft.BizTalk.Hws...". At the bottom right, there are "OK" and "Cancel" buttons.

Name	Description	Version	Extension Class
<input checked="" type="checkbox"/> Flat File Extension	Provides support for flat fi...	3.0.1.0	Microsoft.BizTalk.Flat...
<input type="checkbox"/> Hws Extension	Hws Extension Description	3.0.1.0	Microsoft.BizTalk.Hws...

Fig. 8



A "Properties" dialog box for a "Root Record". It features a tree view on the left with icons for a folder, a list, a document, and a folder with a document. The main area displays properties for the selected "Root" node. The "Instance XPath" is set to "//*[local-name()='Root' and ...". Other properties include "Max Occurs" (1), "Min Occurs" (1), "Namespace" (http://BizTalk_Application_Pr...), and "Node Name" (Root). Below this, there are two expandable sections: "My Adapter category" and "My special category". The "My Adapter category" section shows two "myprop" properties, both set to "Zero". The "My special category" section shows four properties: "Prop1" (0), "Prop2" (constant string), "Prop3" (Microsoft Sans Serif, 8pt), and "Prop4" (empty). A "SqrtProp1" property is also listed with a value of 0. At the bottom, there is a "Parse" section with a "Prop2" property set to "This is property 2". The dialog box has a "Properties" button and a "Dynamic Help" link at the bottom.

800

Properties

Root Record

Instance XPath: `//*[local-name()='Root' and ...]`

Max Occurs: 1

Min Occurs: 1

Namespace: `http://BizTalk_Application_Pr...`

Node Name: Root

My Adapter category

myprop: Zero

myprop: Zero

My special category

Prop1: 0

Prop2: constant string

Prop3: Microsoft Sans Serif, 8pt

Prop4:

SqrtProp1: 0

Parse

Prop2: This is property 2

Properties Dynamic Help




Fig. 9